

2019
6-7 KWIECIEŃ

SYMPOZJUM
MŁODYCH
NAUKOWCÓW
WYDZIAŁU FIZYKI UW



Development of recycling methods of the salts containing weakly coordinating anions

*Małgorzata Domańska^{*1}, Tomasz Jaroń²,*

¹*Department of Physics, University of Warsaw, Ludwika Pasteura 5, 02-093 Warsaw;* ²*Laboratory of Chemical Energy Carriers, Centre of New Technologies, University of Warsaw, Żwirki i Wigury 93, 02-089 Warsaw;*

**email:m.domanska@cent.uw.edu.pl*

Weakly Coordinating Anions (shortly: *WCA*) are large anions with the negative charge dissipated over several electronegative atoms and often shielded by bulky organic groups. Due to such construction, they have relatively weak interaction with the cations and are extremely chemically, electrochemically and thermally resistant, which can be utilized in extremely oxidizing environments. Another property of metal salts containing these anions is the solubility of many of them in moderately polar and very weakly solvating solvents, e.g. dichloromethane. This allows the use of these substances as precursors in synthesis of various solvent-free metal ionic compounds, which is often impossible to carry out with other methods. Borohydrides or the derivatives of metal amidoboranes are among the compounds prepared utilizing WCAs[1,2].

The main goal of the current work is to close the synthetic process and to re-synthesize $\text{Li}[\text{An}]$ salt from the usual by-product, $[\text{Cat}][\text{An}]$, where $[\text{Cat}] = [\text{Bu}_4\text{N}]$ and $[\text{An}] = [\text{Al}(\text{O}(\text{CF}_3)_3)_4]$. We aim at development of preferably one-step, high yield method. During the study we use moisture-free environment (Schlenk line and glovebox), wide range of solvents as well as ultrasounds and mill as the mixing factors. The products are characterized by methods such as powder and single crystal X-ray diffraction, FTIR and NMR spectroscopy, and thermogravimetric analysis.

[1] T. Jaroń, P. A. Orłowski, W. Wegner, K. J. Fijałkowski, P. J. Leszczyński, W. Grochala, *Angew. Chem. Int. Ed.*, **54** (2015) 1236–1239.

[2] R. Owarzany, K. J. Fijałkowski, T. Jaroń, P. J. Leszczyński, Ł. Dobrzycki, M. K. Cyrański, W. Grochala, *Inorg. Chem.*, **55** (2016) 37–45